

"Long awaited now finally available in Australia"

Explosion-Proof Valves with Australian Certification



Great achievement by two of the leading industry providers!

Some of the Features of our Valve Technology

robust valve and solenoid design
proven impact resistance (mining)

IP 66/68



AC and DC solenoids
10 W or 18 W

various temperature classes
T4, T5, T6



high ambient temp.
up to 70 °C

suitable for all EX areas
gas (IIC), dust (IIIC) and mining (M2)

high corrosion protection
due to ZnNi

As one of just a few companies worldwide,
ARGO-HYTOS has been awarded of all the necessary approvals.

This enables us to develop and produce explosion-proof products for all regions worldwide,
as well as to market them in their respective territories.




Australian Certificate
IECEx ExTC 20.0002X


*Valid for all States and Territories
provided by CUSTOM Fluidpower*

Product Portfolio Ex-Proof Valve Range

"All explosion proof Valves you need from One Source - up to 420 bar and 600 lpm"




SD2EX-B2
350 bar
60 l/min




SD2EX-B3
350 bar
60 l/min




SD2EX-B4
350 bar
60 l/min




SD3EX-B2/C2
420/350 bar
60/150 l/min




SD1EX-A2
350 bar
30 l/min




SD1EX-A3
350 bar
30 l/min



RPEX3-06
350 bar
60 l/min



RPERX3-06
350 bar
60 l/min




RPERX3-06
350 bar
60 l/min



RNEXH1-10
320/420 bar
150 l/min




RNEXH5-16
320/420 bar
300 l/min



RNEXH4-25
320/420 bar
600 l/min



PRMX2-06
350 bar
28 l/min



PRMX8-06
350 bar
140 l/min



PVRMX3-10
90 bar
40 l/min



SD2PX-B4
250 bar
25 l/min

Please contact us for technical enquiries or a quotation:



Newcastle – Head Office
14 Gross Street
Carrington NSW 2294

+61 (02) 4953 5777
enquiry@custom.com.au



Robert Kern
Mech. Engineer FH STV
RPEQ, RPEng (Mech)

+61 (0)447 022 477
r.kern@argo-hytos.com

Next Newsletter in June ...

Benefits by using Oil Condition Sensors